
## Electric storage: technology trends and system services



Source: IRENA and EASE website



## VGI potential in Italy for different grid services

Grid service (Entso-E wording)	Technical Feasibility	Regulatory Adequacy	Market Attractiveness	Potential market for 1 million of EVs [M€]*
Primary regulation (FCR - Frequency Containment Reserve)	<b>→\/॓॓</b> → <b>\/॓</b> → <b>\/</b> → <b>\</b>	مرارحة شوارد شورارد المساود	*\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	30
Secondary regulation (FRRa - Frequency Restoration Reserve with automatic activation)	*/f */f */f */f */f	<b>→┞</b> ← →┞← →┞←	<b>᠈</b> ᢔ <mark>ᢙ</mark> ᠈ᢔ <mark>ᢙ</mark> ᠈ᡰᠿ	130
<b>Tertiary regulation</b> (FRRm - Frequency Restoration Reserve with manual activation and RR – Replacement Reserve)	শক্তি শক্তি শক্তি শক্তি	<b>→\^</b> →\ <b>^</b> →\ <b>^</b>	*V************************************	330
<b>Balancing</b> (FRRm - Frequency Restoration Reserve with manual activation)	<b>϶Ϳ</b> Ϳͼ϶ͺ϶ͿͿͼ϶ͺ϶ͿͿͼ϶	<b>→  </b>	***************************************	
Interruptible load program	<b>અપિક્સ અપિક્સ અપિક્સ અપિક્સ</b> અપિક્સ		*/ <b>***</b> */ <b>***</b> */ <b>***</b> */ <b>**</b> */***	20
Capacity market	<b>→∫√→ →∫√→</b> →∫ <b>√→</b>	╼ <mark>┦┌═╸</mark> ═┩╿ <del>╒</del> ╸ <mark>═╤</mark> ┦┍╸	***************************************	120

<sup>\*</sup> Values displayed have to be considered as a qualitative estimation of current market potential in case of an opening of the service provision to VGI in V1G mode.

